




## Elevating Film Quality with High-Performance Masterbatch and Compound Solutions

### Key Masterbatch and Compound Solutions

Matte | Pearlized | White | Anti-Block  
Slip | Combi Batches | Anti-Static | Anti-Fog



### Sustainability That Performs

Our BOPP, BOPE, and Cast PP solutions are designed to improve film function and support circular packaging goals:

- ✓ Improved processability performance
- ✓ Compatibility with mono-material and recyclable structures
- ✓ Reduced blooming
- ✓ Solutions for high-speed converting
- ✓ Support in recycled content and film downgauging

### Main Applications

IML • Labels • Food Packaging • Tobacco  
Adhesive Tape • Confectionery

### Your Success Is Our Mission

Reliable, high-performing materials are key to thriving in the field. That's why we work closely with you, from lab to field, to tailor solutions that meet your exact needs.

- **Global reach** with local support
- **Custom formulations** for your process and climate
- **Decades** of proven performance
- **Expert guidance** when and where you need it
- **Long-term partnerships** to improve resilience and productivity



CMGulf

Advanced Additive Solutions  
for **BOPP & PP**

## Anti-Fog

| Product            | Description                      | Benefits                                |
|--------------------|----------------------------------|-----------------------------------------|
| <b>AF2327CP</b>    | For CPP sealing layers           | Anti-fog additive for multilayer films. |
| <b>AF9803PP EU</b> | For BOPP                         | For cold fog applications.              |
| <b>AF9963PP EU</b> | For BOPP, cast and thermoforming | For hot fog applications.               |

## Slip Anti Static

| Product            | Description            | Benefits                                                                                                                          |
|--------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>SS0106HP</b>    | 15% Active ingredients | For plain and heat sealable BOPP films, very good thermal stability, stable and predictable COF, designed mainly for hot climate. |
| <b>SS3334HP</b>    | 15% Active ingredients | For plain and heat sealable BOPP films, very good thermal stability, designed mainly for cold and moderate climates.              |
| <b>SS9737HP EU</b> | Proprietary            | Amide-free solution that provides low COF without blooming.                                                                       |

## Special Additives

| Product         | Description             | Benefits                                                                                  |
|-----------------|-------------------------|-------------------------------------------------------------------------------------------|
| <b>IP6568HP</b> | 60% Hydrocarbon - TYP 1 | Special additive designed to impart twist properties with high gas barrier in BOPP films. |
| <b>IP3579HP</b> | 60% Hydrocarbon - TYP 2 | Special additive designed to impart twist properties with high gas barrier in BOPP films. |
| <b>IP9519HP</b> | 70% Hydrocarbon - TYP 2 | Special additive designed to impart twist properties with high gas barrier in BOPP films. |
| <b>IP9842PP</b> | 60% Hydrocarbon - TYP 2 | Special additive for tobacco films.                                                       |

## Matte

| Product            | Description     | Benefits                                                                                                               |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------|
| <b>MT0523DP</b>    | Polymer mixture | Standard haze (70% haze) medium SIT matte compound for BOPP applications, low die build-up for continuous processing.  |
| <b>MT7500DP</b>    | Polymer mixture | High haze (>75% haze) high SIT matte compound for BOPP applications, extra low die build-up for continuous processing. |
| <b>MT7829DP</b>    | Polymer mixture | High haze (>75% haze) low SIT matte compound for BOPP applications, low die build-up for continuous processing.        |
| <b>MT7797DP</b>    | Polymer mixture | High haze (>75% haze) very low SIT matte compound for BOPP applications, low die build-up for continuous processing.   |
| <b>MT8790DP EU</b> | Polymer mixture | Standard haze (>75% haze) medium SIT matte compound for BOPP applications, low die build-up for continuous processing. |

# Masterbatch and Compound Solutions for BOPP and PP

>> This catalog features core solutions designed to address common industry needs. Customized grades are also available to support unique challenges and evolving requirements.

## BOPP

### Anti-Block

| Product     | Description           | Benefits                                                                                                                                                                      |
|-------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AB1306CP    | 5% Synthetic silica   | Designed for heat sealable BOPP film.                                                                                                                                         |
| AB1012CP    | 5% Organic anti-block | 6 micron PMMA beads. Non-migrating slip for the production of metallized BOPP films. Can also be used in combination with migrating slip agent, for further reduction of COF. |
| AB8835PP EU | 5% Organic anti-block | 4 micron PMMA beads. Non-migrating slip for the production of metallized thin BOPP films.                                                                                     |
| AB9086CP EU | 6% Synthetic silica   | Special spherical anti-block for metalized films. Prevents scratches and pinholes in the metalized side.                                                                      |
| AB9914CP EU | Proprietary           | Special anti-block design for BOPP. Provides low COF. Stable under corona treatment, also at high temperature.                                                                |

### Slip

| Product  | Description     | Benefits                                                                                                            |
|----------|-----------------|---------------------------------------------------------------------------------------------------------------------|
| SL6925HP | 5% Erucamide    | Migrating slip, designed for heat sealable and plain BOPP film.                                                     |
| SL0302CP | 10% Silicon Oil | Non-migrating hot slip agent for production of high-speed films. Especially recommended for tobacco film packaging. |
| SL9819PP | 6% Slip agent   | Thermally stable slip MB for BOPP applications. Recommended for hot climate (without blooming).                     |

### Slip Anti-Block

| Product  | Description                            | Benefits                                                                                                             |
|----------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| SB6998CP | Synthetic silica and erucamide mixture | A well balanced slip and anti-block combi-batch for heat sealable films.                                             |
| SB0371PP | Proprietary                            | Non-migrating hot slip agent for production of high-speed BOPP films (considered to be a permanent slip anti-block). |

### Anti-Static

| Product     | Description                                   | Benefits                                                                                                                                   |
|-------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| ST2961PP    | 5% Active ingredients                         | For long-term activity and minimal influence on converting processes such as printing and lamination.                                      |
| ST1441HP    | Synergistic combination of anti-static agents | For short and long term activity, with good thermal stability and low haze. Improved slip properties, especially at elevated temperatures. |
| ST9108HP EU | 12.6% Active ingredients                      | For long-term activity, with minimal effect on corona treatment.                                                                           |



Anti-Fog

| Product     | Description | Benefits                   |
|-------------|-------------|----------------------------|
| AF7380PE EU | For BOPE    | For cold-fog applications. |

Matte

| Product     | Description     | Benefits                                                               |
|-------------|-----------------|------------------------------------------------------------------------|
| MT7797DP EU | Polymer mixture | Standard haze (65% haze) low SIT matte compound for BOPE applications. |

CAST PP - Polypropylene Films

Anti-Block

| Product     | Description         | Benefits                                                                                                                                                        |
|-------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AB1306CP    | 5% Synthetic silica | Designed for heat sealable cast film.                                                                                                                           |
| AB1012CP EU | Organic anti-block  | Non-migrating slip and anti-block for the production of cast PP films. Can also be used in combination with migrating slip agent, for further reduction of COF. |
| AB0357PP    | Synthetic silica    | Special anti-block additive design for heat sealable skin layers with low surface roughness.                                                                    |
| AB6996HP EU | Synthetic silica    | Cost-effective anti-block for cast PP films based on synthetic silica.                                                                                          |

Slip

| Product     | Description | Benefits                                                     |
|-------------|-------------|--------------------------------------------------------------|
| SL6925HP EU | Erucamide   | Migrating slip designed for heat sealable and plain PP film. |
| SL0302CP EU | Silicon oil | Non-migrating slip agent for PP films production.            |

Slip Anti-Block

| Product     | Description                            | Benefits                                                   |
|-------------|----------------------------------------|------------------------------------------------------------|
| SB6998CP EU | Synthetic silica and erucamide mixture | Fast slip preformance, immediately active film production. |
| SB0371PP EU | Proprietary                            | Permanent hot slip for Cast PP.                            |

Anti-Static

| Product     | Description                                   | Benefits                                                                                                                                  |
|-------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| ST0245HP EU | 10% Anti-static agents                        | Anti-static masterbatch that provides short and long term activity in PP.                                                                 |
| ST1441HP EU | Synergistic combination of anti-static agents | For short and long term activity, with good thermal stability and low haze. Improved slip properties especially at elevated temperatures. |
| ST2961PP    | 5% Anti-static agents                         | For long term activity with minimal influence on converting processes such as printing and lamination.                                    |

### White

| Product | Description       | Benefits                                    |
|---------|-------------------|---------------------------------------------|
| MP80099 | 60% Concentration | Phthalate-free, suitable for metallization. |
| MP80299 | 60% Concentration | Suitable for metallization processes.       |
| MP83465 | 70% Concentration | Suitable for metallization processes.       |

### Pearlized

| Product  | Description            | Benefits                                                                                                           |
|----------|------------------------|--------------------------------------------------------------------------------------------------------------------|
| ZD2446HP | 70% Active ingredients | Fine particle size for the production of moderate density (~0.7) cavitated film with extra glossy, 'pearl' effect. |
| ZD1738HP | 70% Active ingredients | Fine particle size for production of moderate density (~0.6) cavitated film with extra glossy, 'pearl' effect.     |
| ZD3733HP | Organic pearlized      | Mineral-free for the production of film with 'pearl' effect and special gloss.                                     |

### White-Pearlized

| Product   | Description            | Benefits                                                                                          |
|-----------|------------------------|---------------------------------------------------------------------------------------------------|
| ZD3908HPW | 70% Active ingredients | Fine particle size for the production of white-cavitated film with 'pearl' effect and high gloss. |

### BOPE

#### Anti-Block

| Product  | Description           | Benefits                                              |
|----------|-----------------------|-------------------------------------------------------|
| AB0608PE | 5% Synthetic silica   | Designed for heat sealable BOPE film.                 |
| AB5956PE | 5% Organic anti-block | Non-migrating slip for production of metallized BOPE. |

#### Slip

| Product  | Description    | Benefits                                                       |
|----------|----------------|----------------------------------------------------------------|
| SL0534PE | 5% Erucamide   | Migrating slip designed for heat sealable and plain BOPE film. |
| SL2766PE | Permanent slip | Non-migrating slip for production of high speed films.         |

#### Anti-Static

| Product  | Description                                  | Benefits                                                                   |
|----------|----------------------------------------------|----------------------------------------------------------------------------|
| ST0526PE | Synergistic combination of anti-static agent | For short and long term activity with good thermal stability and low haze. |
| ST7288PE | Synergistic combination of anti-static agent | Amine-free solution for short and long-term activity.                      |

# Making it Happen Globally.



## Innovating for the Future

We are constantly preparing for the challenges of tomorrow, today!

- ✓ Immersing ourselves in your industry to deliver forward-thinking solutions.
- ✓ Customization is key - We'll create the precise solution you need.
- ✓ We heavily invest in cutting-edge machinery and technology to uphold the highest quality standards.
- ✓ Prioritizing sustainability with recyclable, environmentally-friendly products designed for a better future.

 [www.cmgulf.com](http://www.cmgulf.com)

 CMGulf (COMPOUNDMASTER GULF FZE)

Scan to get the  
digital catalog >>



### White

| Product  | Description                  | Benefits                                                        |
|----------|------------------------------|-----------------------------------------------------------------|
| MP80299  | 60% Concentrated masterbatch | Suitable for metallization processes.                           |
| MP83465  | 70% Concentrated masterbatch | Suitable for metallization processes.                           |
| MP800502 | 70% Concentrated masterbatch | Designed for outdoor use, suitable for metallization processes. |

### Anti-Fog

| Product     | Description                       | Benefits                                                                             |
|-------------|-----------------------------------|--------------------------------------------------------------------------------------|
| AF2327CP EU | Anti-fog for Cast PP              | Anti-fog additive for barrier multilayer films. Designed for cast PP sealing layers. |
| AF9810CP EU | AF for CPP and BOPP               | Highly efficient anti-fog for cold for BOPP. EU approval.                            |
| AF9963HP EU | AF for thermoforming CPP and BOPP | Suitable for hot meal packaging                                                      |

### Tie

| Product        | Description | Benefits                                       |
|----------------|-------------|------------------------------------------------|
| TOPFUSION P106 | Grafted PP  | Ready-to-use tie for retortable packaging.     |
| TOPFUSION P155 | Grafted PP  | Ready-to-use tie for standard PP applications. |